

1097



9718670
9724824
9714877
9708484

SAFETY DATA SHEET
CREATEX ACRYLIC COLORS
10/05/15

Manufacturer or Distributor: **Color Craft, Ltd./Createx Colors**
14 Airport Park Road
East Granby, Connecticut 06026
Phone: 800-509-6563
Fax: 1-860-653-0643

Information Telephone Number: **800-243-2712**

Emergency Telephone Number: **800-243-2712**

For Health Emergencies: **Poison Control Center: 1-888-516-2502**

SECTION I – PRODUCT IDENTIFICATION

Product Name: **Createx Acrylic Colors**

Product Number: **Acrylic Colors**

Product Sizes: **NG**

Brand Name: **Createx Colors**

Product Class: **Acrylic Paint, Artist**

SECTION II – HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

There are no GHS label elements.

Primary Routes of Entry: **Inhalation, Ingestion, Eye, Skin**

Effects and Symptoms of Acute Exposure: **None Expected**

Effects and Symptoms of Chronic Exposure: **None Expected**

Carcinogen Listing: **NTP: NO IARC: NO OSHA: NO**

See Section III for Components Affected

Medical Conditions Usually Aggravated by Over Exposure to this Product: **None**

SECTION III – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient: **None**

CAS#:

PEL/TLV (MG/M#):

Max % Weight:

NTP:

IARC:



SAFETY DATA SHEET
CREATEX ACRYLIC COLORS
10/05/15

SECTION IV – FIRST AID MEASURES

First Aid Measures: None Required. No acute health effects expected.

SECTION V – FIRE FIGHTING MEASURES

Flash Point (Method): N/A
Autoignition Temperature: N/A
Explosion Limits in Air (% by Volume): Not Explosive
Extinguishing Media: No special media required.
Required Fire Fighting Procedures: No special firefighting procedures required.
Unusual Fire & Explosion Hazards: Not Combustible

SECTION VI – ACCIDENTAL RELEASE MEASURES

Steps to be taken in case a material is spilled: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

SECTION VII – HANDLING AND STORAGE

Precautions to be taken during storage and handling: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection and Special Ventilation Requirements: Wear a NIOSH / MSHA approved respirator
Other Protective Equipment (Gloves, Goggles, etc): None Required
Work / Hygiene Practices: None Required
Engineering Controls: None Required

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/A
Melting Point: N/A
Vapor Pressure: N/A
Specific Vapor Density (Air=1): N/A
Specific Gravity: N/A
Solubility In Water: N/A
Reactivity In Water: Non-Reactive
VOC: N/A



SAFETY DATA SHEET
CREATEX ACRYLIC COLORS
10/05/15

SECTION X – STABILITY AND REACTIVITY

Hazardous Polymerization Products: None
Stability: Stable Conditions to Avoid: None
Incompatibility (Materials to Avoid): None
Hazardous Decomposition Products: None

SECTION XI – TOXICOLOGICAL INFORMATION

Acute Effects Associated with Use of this Material: None Expected

The summated LD50 is 41733 mg/kg.

The summated LC50 is 34287 mg/cubic meter.

This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

SECTION XII – ECOLOGICAL INFORMATION

No harmful effects known other than those associated with suspended inert solids in water.

SECTION XIII – DISPOSAL CONSIDERATIONS

RCRA Hazard Class (40 CFR 261): This product is not classified as a hazardous waste.

Waste Disposal Method: Dispose of in accordance with federal, state and local regulations.

SECTION XIV – TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): This is not a hazardous material as classified by CFR 172.101.

SECTION XV – REGULATORY INFORMATION

Contents of this SDS comply with Osha Hazard Communication Standard 29 CFR 1910.1200EPA SARA Title III Chemical Listings:

None

Section 302.4 Extremely Hazardous Substances (40 CFR 355):

None

Section 313 Toxic Chemicals (40 CFR 372):

None

International Regulations

Canadian WHMIS:

This product is a controlled product under Canada's workplace hazardous materials information system.

It contains the following toxic or highly toxic materials: Aluminum Oxide
Ferric Oxide
Mica
Propylene Glycol

Supplemental State Compliance Information:

This product contains the following chemical(s) listed in the state of California under their Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:

None



SAFETY DATA SHEET
CREATEX ACRYLIC COLORS
10/05/15

This product contains the following chemical(s) listed under New Jersey's Right to Know Program: Aluminum Oxide
Mica
Pigment Red 101

This product contains the following chemical(s) requiring notification to the state of Washington under their Children's Safe Products Act: None

Under CPSC's consumer product regulations (16CFR1500.3 and 150014), this product has the following required acute and chronic hazard labeling: None

SECTION XVI – OTHER INFORMATION

Last Revision Date: 10/05/2015

Prepared by Duke OEM Toxicology

COLOR INFORMATION

This SDS applies to the following colors which are associated with hazardous and /or non-hazardous ingredients.

Product Color	SKU	Hazardous Ingredient
2001 AC Titanium White		(None)
2002 AC Hansa Yellow Medium		(None)
2003 AC Golden Yellow		(None)
2004 AC Orange		(None)
2005 AC Scarlet		(None)
2006 AC Primary Red		(None)
2007 AC Quinacridone Crimson		(None)
2008 AC Ultramarine Blue		(None)
2009 AC Turquoise Hue		(None)
2010 AC Phthalo Green		(None)
2011 AC Phthalo Blue		(None)
2012 AC Quinacridone Magenta		(None)
2014 AC Burnt Umber		(None)
2015 AC Carbon Black		(None)
2016 AC Pearl White		(None)
2017 AC Pearl Satin Gold		(None)
2018 AC Pearl Copper		(None)
2019 AC Extender		(None)
2022 AC Pearl Silver		(None)
2023 AC Yellow Oxide		(None)
2024 AC Permanent Light Green		(None)
2025 AC Cerulean Blue		(None)
2026 AC Raw Sienna		(None)
2027 AC Burnt Sienna		(None)
2028 AC Cobalt Blue		(None)
2031 AC Chrome Oxide Green		(None)
2032 AC Pearl Blue		(None)
2033 AC Pearl Green		(None)
2034 AC Pearl Magenta		(None)
2035 AC Pearl Purple		(None)
2036 AC Pearl Lime Green		(None)
2037 AC Pearl Orange		(None)
2050 AC Iridescent Yellow		(None)
2051 AC Iridescent Brite Red		(None)
2052 AC Iridescent Fuchsia		(None)
2053 AC Iridescent Electric Blue		(None)

Brand Names



SAFETY DATA SHEET
CREATEX ACRYLIC COLORS
10/05/15

This SDS applies to the following brand names: Createx Acrylic Colors



SAFETY DATA SHEET
CREATEX COLORS
10/05/15

Manufacturer or Distributor: **Color Craft, Ltd./Createx Colors**
14 Airport Park Road
East Granby, Connecticut 06026
Phone: 800-509-6563
Fax: 1-860-653-0643

Information Telephone Number: **800-243-2712**

Emergency Telephone Number: **800-243-2712**

For Health Emergencies: **Poison Control Center: 1-888-516-2502**

SECTION I – PRODUCT IDENTIFICATION

Product Name: **Createx Airbrush Colors**

Product Number: **Air-Brush**

Product Sizes: **NG**

Brand Name: **Createx Airbrush Colors**

Product Class: **Acrylic Paint, Artist**

SECTION II – HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

There are no GHS label elements.

Primary Routes of Entry: **Inhalation, Ingestion, Eye, Skin**

Effects and Symptoms of Acute Exposure: **None Expected**

Effects and Symptoms of Chronic Exposure: **None Expected**

Carcinogen Listing: **NTP: NO IARC: NO OSHA: NO**

See Section III for Components Affected

Medical Conditions Usually Aggravated
by Over Exposure to this Product: **None**

SECTION III – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient: **None**

CAS#:

PEL/TLV (MG/M#):

Max % Weight:

NTP:

IARC:



SAFETY DATA SHEET
CREATEX COLORS
10/05/15

SECTION IV – FIRST AID MEASURES

First Aid Measures: None Required. No acute health effects expected.

SECTION V – FIRE FIGHTING MEASURES

Flash Point (Method): N/A
Autoignition Temperature: N/A
Explosion Limits in Air (% by Volume): Not Explosive
Extinguishing Media: No special media required.
Required Fire Fighting Procedures: No special firefighting procedures required.
Unusual Fire & Explosion Hazards: Not Combustible

SECTION VI – ACCIDENTAL RELEASE MEASURES

Steps to be taken in case a material is spilled: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

SECTION VII – HANDLING AND STORAGE

Precautions to be taken during storage and handling: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection and Special Ventilation Requirements: Wear a NIOSH / MSHA approved respirator
Other Protective Equipment (Gloves, Goggles, etc): None Required
Work / Hygiene Practices: None Required
Engineering Controls: None Required

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/A
Melting Point: N/A
Vapor Pressure: N/A
Specific Vapor Density (Air=1): N/A
Specific Gravity: N/A
Solubility In Water: N/A
Reactivity In Water: Non-Reactive
VOC: 50.32 g/l



SAFETY DATA SHEET
CREATEX COLORS
10/05/15

SECTION X – STABILITY AND REACTIVITY

Hazardous Polymerization Products: None
Stability: Stable Conditions to Avoid: None
Incompatibility (Materials to Avoid): None
Hazardous Decomposition Products: None

SECTION XI – TOXICOLOGICAL INFORMATION

Acute Effects Associated with Use of this Material: None Expected

The summated LD50 is 45526 mg/kg.

The summated LC50 is 20651 mg/cubic meter.

This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

SECTION XII – ECOLOGICAL INFORMATION

No harmful effects known other than those associated with suspended inert solids in water.

SECTION XIII – DISPOSAL CONSIDERATIONS

RCRA Hazard Class (40 CFR 261): This product is not classified as a hazardous waste.

Waste Disposal Method: Dispose of in accordance with federal, state and local regulations.

SECTION XIV – TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): This is not a hazardous material as classified by CFR 172.101.

SECTION XV – REGULATORY INFORMATION

Contents of this SDS comply with Osha Hazard Communication Standard 29 CFR 1910.1200EPA SARA Title III Chemical Listings:

None

Section 302.4 Extremely Hazardous Substances (40 CFR 355):

None

Section 313 Toxic Chemicals (40 CFR 372):

None

International Regulations

Canadian WHMIS:

This product is a controlled product under Canada's workplace hazardous materials information system.

It contains the following toxic or highly toxic materials: Aluminum Oxide
Ferric Oxide
Mica
Propylene Glycol

Supplemental State Compliance Information:

This product contains the following chemical(s) listed in the state of California under their Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:

None



SAFETY DATA SHEET
CREATEX COLORS
10/05/15

This product contains the following chemical(s) listed under New Jersey's Right to Know Program: Aluminum Oxide
Mica
Pigment Red 101

This product contains the following chemical(s) requiring notification to the state of Washington under their Children's Safe Products Act: None

Under CPSC's consumer product regulations (16CFR1500.3 and 150014), this product has the following required acute and chronic hazard labeling: None

SECTION XVI – OTHER INFORMATION

Last Revision Date: 10/05/2015

Prepared by Duke OEM Toxicology

COLOR INFORMATION

This SDS applies to the following colors which are associated with hazardous and /or non-hazardous ingredients.

Product Color	SKU	Hazardous Ingredient
5102 Transparent Violet		(None)
5103 Transparent Red Violet		(None)
5105 Transparent Caribbean Blue		(None)
5106 Transparent Brite Blue		(None)
5107 Transparent Ultramarine Blue		(None)
5108 Transparent Deep Blue		(None)
5109 Transparent Brite Green		(None)
5110 Transparent Forest Green		(None)
5111 Transparent Aqua		(None)
5112 Transparent Turquoise		(None)
5113 Transparent Sunrise Yellow		(None)
5114 Transparent Brite Yellow		(None)
5115 Transparent Leaf Green		(None)
5116 Transparent Tropical Green		(None)
5117 Transparent Brite Red		(None)
5118 Transparent Sunset Red		(None)
5119 Transparent Orange		(None)
5121 Transparent Flamingo Pink		(None)
5122 Transparent Fuchsia		(None)
5123 Transparent Burgundy		(None)
5124 Transparent Deep Red		(None)
5125 Transparent Peach		(None)
5126 Transparent Sand		(None)
5127 Transparent Light Brown		(None)
5128 Transparent Dark Brown		(None)
5129 Transparent Medium Gray		(None)
5131 Transparent White		(None)
5132 Transparent Black		(None)
5133 Transparent Canary Yellow		(None)
5134 Transparent Maui Blue		(None)
5135 Transparent Purple		(None)
5136 Transparent Red Oxide		(None)
5137 Transparent Crimson		(None)
5138 Transparent Carmine		(None)



SAFETY DATA SHEET
CREATEX COLORS
10/05/15

Product Color	SKU	Hazardous Ingredient
5201 Opaque Blue		(None)
5202 Opaque Purple		(None)
5203 Opaque Lilac		(None)
5204 Opaque Yellow		(None)
5205 Opaque Light Green		(None)
5206 Opaque Aqua		(None)
5207 Opaque Sky Blue		(None)
5208 Opaque Coral		(None)
5210 Opaque Red		(None)
5211 Opaque Black		(None)
5212 Opaque White		(None)
5301 Pearl Purple		(None)
5302 Pearl Magenta		(None)
5303 Pearl Turquoise		(None)
5304 Pearl Blue		(None)
5305 Pearl Green		(None)
5306 Pearl Copper		(None)
5307 Pearl Satin Gold		(None)
5308 Pearl Silver		(None)
5309 Pearl Red		(None)
5310 Pearl White		(None)
5311 Pearl Pineapple		(None)
5312 Pearl Tangerine		(None)
5313 Pearl Lime Green		(None)
5314 Pearl Plum		(None)
5315 Pearl Black		(None)
5316 Pearl Platinum		(None)
5317 Pearl Lime Ice		(None)
5401 Fluorescent Violet		(None)
5402 Fluorescent Raspberry		(None)
5403 Fluorescent Blue		(None)
5404 Fluorescent Green		(None)
5405 Fluorescent Yellow		(None)
5406 Fluorescent Magenta		(None)
5407 Fluorescent Hot Pink		(None)
5408 Fluorescent Red		(None)
5409 Fluorescent Orange		(None)
5410 Fluorescent Sunburst		(None)
5501 Iridescent Red		(None)
5502 Iridescent Scarlet		(None)
5503 Iridescent Yellow		(None)
5504 Iridescent Turquoise		(None)
5505 Iridescent Scarlet		(None)
5506 Iridescent Electric Blue		(None)
5507 Iridescent Violet		(None)
5508 Iridescent Fuchsia		(None)
5601 Transparent Base		(None)
5602 Opaque Base		(None)
5603 Matte Top Coat		(None)
5604 Gloss Top Coat		(None)
5607 Retarder		(None)
5608 Illustration Base Medium		(None)

Brand Names

This SDS applies to the following brand names: Createx Airbrush Colors



SAFETY DATA SHEET
CREATEX MONOTYPE COLORS
10/05/15

Manufacturer or Distributor: **Color Craft, Ltd./Createx Colors**
14 Airport Park Road
East Granby, Connecticut 06026
Phone: 800-509-6563
Fax: 1-860-653-0643

Information Telephone Number: **800-243-2712**

Emergency Telephone Number: **800-243-2712**

For Health Emergencies: **Poison Control Center: 1-888-516-2502**

SECTION I – PRODUCT IDENTIFICATION

Product Name: **Createx Monotype Colors**

Product Number: **Monotype Colors**

Product Sizes: **NG**

Brand Name: **Createx Monotype Colors**

Product Class: **Acrylic Paint, Artist**

SECTION II – HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

There are no GHS label elements.

Primary Routes of Entry: **Inhalation, Ingestion, Eye, Skin**

Effects and Symptoms of Acute Exposure: **None Expected**

Effects and Symptoms of Chronic Exposure: **None Expected**

Carcinogen Listing: **NTP: NO IARC: NO OSHA: NO**

See Section III for Components Affected

Medical Conditions Usually Aggravated by Over Exposure to this Product: **None**

SECTION III – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient: **None**

CAS#:

PEL/TLV (MG/M#):

Max % Weight:

NTP:

IARC:



SAFETY DATA SHEET
CREATEX MONOTYPE COLORS
10/05/15

SECTION IV – FIRST AID MEASURES

First Aid Measures: None Required. No acute health effects expected.

SECTION V – FIRE FIGHTING MEASURES

Flash Point (Method): N/A
Autoignition Temperature: N/A
Explosion Limits in Air (% by Volume): Not Explosive
Extinguishing Media: No special media required.
Required Fire Fighting Procedures: No special firefighting procedures required.
Unusual Fire & Explosion Hazards: Not Combustible

SECTION VI – ACCIDENTAL RELEASE MEASURES

Steps to be taken in case a material is spilled: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

SECTION VII – HANDLING AND STORAGE

Precautions to be taken during storage and handling: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection and Special Ventilation Requirements: Wear a NIOSH / MSHA approved respirator
Other Protective Equipment (Gloves, Goggles, etc): None Required
Work / Hygiene Practices: None Required
Engineering Controls: None Required

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/A
Melting Point: N/A
Vapor Pressure: N/A
Specific Vapor Density (Air=1): N/A
Specific Gravity: N/A
Solubility In Water: N/A
Reactivity In Water: Non-Reactive
VOC: N/A



SAFETY DATA SHEET
CREATEX MONOTYPE COLORS
10/05/15

SECTION X – STABILITY AND REACTIVITY

Hazardous Polymerization Products: None
Stability: Stable Conditions to Avoid: None
Incompatibility (Materials to Avoid): None
Hazardous Decomposition Products: None

SECTION XI – TOXICOLOGICAL INFORMATION

Acute Effects Associated with Use of this Material: None Expected

The summated LD50 is >50000 mg/kg.
The summated LC50 is 99999 mg/cubic meter.
This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

SECTION XII – ECOLOGICAL INFORMATION

No harmful effects known other than those associated with suspended inert solids in water.

SECTION XIII – DISPOSAL CONSIDERATIONS

RCRA Hazard Class (40 CFR 261): This product is not classified as a hazardous waste.
Waste Disposal Method: Dispose of in accordance with federal, state and local regulations.

SECTION XIV – TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): This is not a hazardous material as classified by CFR 172.101.

SECTION XV – REGULATORY INFORMATION

Contents of this SDS comply with Osha Hazard Communication Standard 29 CFR 1910.1200EPA
SARA Title III Chemical Listings: None

Section 302.4 Extremely Hazardous Substances (40 CFR 355): None

Section 313 Toxic Chemicals (40 CFR 372): None

International Regulations

Canadian WHMIS:

This product is a controlled product under Canada's workplace hazardous materials information system.

It contains the following toxic or highly toxic materials: Aluminum Oxide
Ferric Oxide
Propylene Glycol

Supplemental State Compliance Information:

This product contains the following chemical(s) listed in the state of California under their Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: None

This product contains the following chemical(s)



SAFETY DATA SHEET
CREATEX MONOTYPE COLORS
10/05/15

listed under New Jersey's Right to Know Program: Aluminum Oxide
Pigment Red 101

This product contains the following chemical(s)
requiring notification to the state of Washington
under their Children's Safe Products Act: None

Under CPSC's consumer product regulations
(16CFR1500.3 and 150014), this product has the
following required acute and chronic hazard labeling: None

SECTION XVI – OTHER INFORMATION

Last Revision Date: 10/05/2015

Prepared by Duke OEM Toxicology

COLOR INFORMATION

This SDS applies to the following colors which are associated with hazardous and /or non-hazardous ingredients.

Product Color	SKU	Hazardous Ingredient
3001 Titanium White		(None)
3002 Primary Yellow		(None)
3003 Golden Yellow		(None)
3004 Yellow Ochre		(None)
3005 Orange		(None)
3006 Scarlet		(None)
3007 Red Oxide		(None)
3008 Primary Red		(None)
3009 Crimson		(None)
3010 Ultramarine Blue		(None)
3011 Cerulean Blue		(None)
3012 Phthalo Blue		(None)
3013 Cobalt Blue		(None)
3014 Phthalo Green		(None)
3015 Earth Green		(None)
3016 Leaf Green		(None)
3017 Raw Sienna		(None)
3018 Burnt Sienna		(None)
3019 Raw Umber		(None)
3020 Burnt Umber		(None)
3021 Magenta		(None)
3022 Carbazole Violet		(None)
3023 Carbon Black		(None)
3024 Monotype Base		(None)

Brand Names

This SDS applies to the following brand names: Createx Monotype Colors