

1909

9718640  
9724709  
4105260  
410505

## Material Safety Data Sheet

<b>IDENTITY: Doubleheader Calligraphy Marker</b> <b>CL-10BK</b> <b>Water Based Ink - Black</b>	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

### Section I

<b>Manufacturer's Name ITOYA of America, Ltd.</b>	<b>Emergency Telephone Number</b> <b>310.603.5390</b>
<b>Address: 2630 Homestead Place</b>	<b>Telephone Number for Information</b> <b>310.603.5390</b>
<b>Rancho Dominguez, CA 90220</b>	<b>Date Prepared</b> <b>7/12/07</b>

### Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
<b>Acid Yellow No.4</b>	<b>1934-21-1</b>			<b>1</b>
<b>Acid Yellow No.5</b>	<b>2783-94-1</b>			<b>2</b>
<b>Acid Yellow No.6</b>	<b>72927-70-9</b>			<b>1.2</b>
<b>Acid Red No.102</b>	<b>2611-82-7</b>			<b>1.8</b>
<b>Acid Red No.104</b>	<b>18472-87-2</b>			<b>0.8</b>
<b>Acid Black</b>	<b>8005-03-6</b>			<b>3.0</b>
<b>Acid Blue No.1</b>	<b>3844-45-9</b>			<b>3.0</b>
<b>Acid Violet No.1</b>	<b>1694-09-3</b>			<b>1.2</b>
<b>Direct Black No.154</b>	<b>54804-85-2</b>			<b>2.0</b>
<b>E.G.</b>	<b>107-21-1</b>			<b>20</b>
<b>T.D.G.</b>	<b>111-48-5</b>			<b>5</b>
<b>Surface Agent</b>	<b>9016-45-9</b>			<b>0.5</b>
<b>Preservative</b>	<b>26172-55-4</b>			<b>0.3</b>

### Section III - Physical/Chemical Characteristics

Boiling Point	<b>100 C</b>	Specific Gravity (H <sub>2</sub> O = 1)	n/a
Vapor Pressure (mm Hg.)	n/a	Melting Point	N.D.
Vapor Density (AIR = 1)	N.D.	Evaporation Rate (Butyl Acetate = 1)	N.D.
Solubility in Water <b>FREE, miscible with water.</b>			
Appearance and Odor <b>Black Liquid, Soft odor</b>			

**Section IV - Fire and Explosion Hazard Data**

Flash Point (Method Used) <b>n/a</b>	Flammable Limits	LEL <b>n/a</b>	UEL <b>n/a</b>
Extinguishing Media <b>Water</b>			
Special Fire Fighting Procedures <b>Hi Temp.</b>			
Unusual Fire and Explosion Hazards <b>n/a</b>			

**Section V - Reactivity Data**

Stability <b>O</b>	Unstable <b>n/a</b>		Conditions to Avoid <b>n/a</b>
	Stable <b>n/a</b>		
Incompatibility ( <i>Materials to Avoid</i> ) <b>Hot Temp.</b>			
Hazardous Decomposition or Byproducts <b>n/a</b>			
Hazardous Polymerization	May Occur		Conditions to Avoid
<b>n/a</b>	Will Not Occur <b>O</b>		<b>n/a</b>

**Section VI - Health Hazard Data**

Route(s) of Entry:	Inhalation? <b>N.D.</b>	Skin? <b>N.D.</b>	Ingestion? <b>N.D.</b>
Health Hazards ( <i>Acute and Chronic</i> )			
Carcinogenicity:	NTP? <b>n/a</b>	IARC Monographs? <b>n/a</b>	OSHA Regulated? <b>n/a</b>
Signs and Symptoms of Exposure <b>N.D.</b>			
Medical Conditions Generally Aggravated by Exposure <b>N.D.</b>			
Emergency and First Aid Procedures <b>seek medical advice</b>			

**Section VII - Precautions for Safe Handling and Use**

<p>Steps to Be Taken in Case Material is Released or Spilled  <b>Keep spills and cleaning from runoff out of municipal sewers and open bodies of water. Contain spills immediately with inert materials (e.g. sand, earth). Transfer liquids and solid drinking material to separate suitable containers for recovery or disposal. Decontaminate spill area with a solution of 10% sodium bisulfite in water. Rinse decontaminated solution to a chemical sewer after standing for 30 minutes.</b></p>
<p>Waste Disposal Method: <b>Follow all relevant regulations for disposal.</b></p>
<p>Precautions to Be taken in Handling and Storing: <b>Avoid prolonged or repeated contact with skin. Avoid eye contact and breathing mist, if generated. Keep away from heat, strong oxidizing agents.</b></p>
<p>Other Precautions n/a</p>

**Section VIII - Control Measures**

Respiratory Protection: <b>use air-purifying respirators with dust and mist filters</b>		
Ventilation	Local Exhaust <b>O at 150 ft./min.</b>	Special
	Mechanical ( <i>General</i> )	Other

Protective Gloves <b>Chemically resistant. Butyl rubber – nitrile rubber</b>	Eye Protection <b>use chemical splash goggles</b>
Other Protective Clothing or Equipment <b>Use chemically resistant apron</b>	
Work/Hygienic Practices: <b>Wear a MSHA/NIOSH approved (or equivalent) positive pressure self-contained breathing apparatus or full-facepiece airline respirator in the positive pressure mode with emergency escape provisions.</b>	

**Section IX - Special Precautions**

<p>Precautions to be taken in Handling and Storing: <b>Avoid prolonged or repeated contact with skin. Avoid contact and avoid breathing mist, if generated. Keep away from heat, strong oxidizing agents.</b></p>
<p>Other Precautions</p>

Not applicable= n/a  
 Not determined= N.D.