

400

Safety Data Sheet

Material Name: CRAYOLA® CRAYONS™

9719379 9712974A-T
 9723378 9728694A-L
 9724521,26 EL10198
 9727214 1100143
 9727420,25-27 3500179
 9728406-07 9706889-90
 9729277 9708162-63
 9730003 9708818
 9730360,62,64 9718923-26
 9731353

SDS ID: CRAY-024

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

CRAYOLA® CRAYONS™

Synonyms

CRAYOLA CRAYONS; CRAYOLA WASHABLE CRAYONS; CRAYOLA LARGE CRAYONS;
 CRAYOLA WASHABLE LARGE CRAYONS; CRAYOLA JUMBO CRAYONS; CRAYOLA
 WASHABLE JUMBO CRAYONS; ARTISTA II ANTIROLL CRAYONS; ARTISTA II CRAYONS;
 CRAYOLA BEGINNINGS; CRAYOLA COLORING BOOK CRAYONS; CRAYOLA CRAYON
 CLASSPACKS; CRAYOLA CONSTRUCTION PAPER CRAYONS; CRAYOLA DRYERASE
 CRAYONS; CRAYOLA EGG SHAPED CRAYONS; CRAYOLA FABRIC CRAYONS; CRAYOLA
 FLUORESCENT CRAYONS; CRAYOLA GEL F/X CRAYONS; CRAYOLA GLITTER CRAYONS;
 CRAYOLA METALLIC F/X CRAYONS; CRAYOLA MULTICULTURAL CRAYONS; MY FIRST
 CRAYOLA WASHABLE EASY GRIP CRAYONS; MY FIRST WASHABLE CRAYONS; CRAYOLA
 NEON CRAYONS; CRAYOLA POSTER CRAYONS; STAONAL MARKING CRAYONS
 (PERMANENT AND WATERPROOF); CRAYOLA TRIANGLE CRAYONS; CRAYOLA ART
 BUDDY BACKPACK; CRAYOLA COLOR ME A SONG; CRAYOLA CRAYON MAKER;
 CRAYOLA CRAYON MAKER REFILLS; CRAYOLA CREATIVITY TUB; CRAYOLA DRYERASE
 BOARDS; CRAYOLA DRY ERASE TRAVEL PACK; CRAYOLA DRYERASE ACTIVITY
 CENTER; CRAYOLA DRYERASE CLINGS AND STENCIL ASSORTMENTS; CRAYOLA
 INSPIRATION ART CASE; CRAYOLA MELT AND MOLD FACTORY; MY FIRST CRAYOLA
 ACTIVITES; CRAYOLA ULTIMATE ART SUPPLIES; CRAYOLA ULTIMATE CRAYON CASE;
 PRODUCT CODE(S): 03-4016; 03-9000; 03-9008; 04-0024; 04-0040; 04-0048; 04-0135; 04-0140; 04-
 0260; 04-1020; 04-1610; 04-1611; 04-1612; 04-1613; 04-1615; 04-1621; 04-1622; 04-1623; 04-1624; 04-
 1662; 04-1900; 04-1901; 04-1905; 04-1907; 04-1927; 04-1950; 04-1951; 04-1952; 04-1953; 04-1954; 04-
 1955; 04-1971; 04-1972; 04-2357; 04-2470; 04-2477; 04-2522; 04-2529; 04-2532; 04-2536; 04-2537; 04-
 2639; 04-2540; 04-2542; 04-2543; 04-2544; 04-2547; 04-2554; 04-2580; 04-2780; 04-3300; 04-3301; 04-
 3302; 04-3303; 04-3304; 04-3305; 04-3306; 04-3307; 04-4102; 04-4103; 04-4104; 04-4105; 04-4106; 04-
 4107; 04-4501; 04-4812; 04-4845; 04-5165; 04-5189; 04-5192; 04-5195; 04-5220; 04-5340; 04-5350; 04-
 5354; 04-5355; 04-5356; 04-5357; 04-5358; 04-5364; 04-5380; 04-5401; 04-5553; 04-5554; 04-5555; 04-
 5556; 04-5557; 04-5558; 04-5671; 04-5672; 04-5673; 04-5674; 04-5675; 04-5676; 04-5677; 04-5678; 04-
 5680; 04-5685; 04-5697; 04-5710; 04-5718; 04-5719; 04-5727; 04-5770; 04-5777; 04-5800; 04-5801; 04-
 5802; 04-5860; 04-6001; 04-6006; 04-6007; 04-6010; 04-6011; 04-6012; 04-6014; 04-6016; 04-7502; 04-
 8205; 04-8210; 04-8213; 04-8218; 04-8219; 04-8726; 04-9023; 52-008T; 52-008W; 52-010G; 52-010L;
 52-012L; 52-014G; 52-014L; 52-016T; 52-027G; 52-033B; 52-033G; 52-033L; 52-034G; 52-034L; 52-
 038G; 52-038L; 52-051G; 52-051L; 52-064D; 52-080W; 52-088G; 52-088L; 52-097G; 52-0000; 52-
 0002; 52-0004; 52-0008; 52-5009; 52-0012; 52-0015; 52-0016 52-0022; 52-0024; 52-0029; 52-0030; 52-
 0031; 52-0033; 52-0038; 52-0048; 52-0059; 52-0064; 52-0080; 52-0083; 52-0092; 52-0096; 52-0241; 52-
 0320; 52-0322; 52-0333; 52-0336; 52-0389; 52-0743; 52-0836; 52-0952; 52-0953; 52-1024; 52-1165; 52-
 1170; 52-1167; 52-1171; 52-1172; 52-1173; 52-1174; 52-1175; 52-1176; 52-1177; 52-1204; 52-1219; 52-
 1220; 52-1221; 52-1222; 52-1223; 52-1225; 52-1226; 52-1227; 52-1228; 52-1230; 52-1231; 52-1232; 52-
 1234; 52-1235; 52-1236; 52-1237; 52-1238; 52-1239; 52-1240; 52-1241; 52-1242; 52-1243; 52-1244 52-
 1245; 52-1247; 52-1248; 52-1249; 52-1250; 52-1251; 52-1252; 52-1253; 52-1254; 52-1255; 52-1256; 52-
 1259; 52-1260; 52-1261; 52-1262; 52-1263; 52-1265; 52-1266; 52-1267; 52-1268; 52-1269; 52-1327; 52-
 1328; 52-1330; 52-1331; 52-1332; 52-1333; 52-1334; 52-1335; 52-1336; 52-1337; 52-1338; 52-1339; 52-
 1340; 52-1341; 52-1342; 52-1343; 52-1344; 52-1415; 52-1416; 52-1501; 52-1502; 52-1503; 52-1504; 52-
 1617; 52-1820; 52-1821; 52-1822; 52-1823; 52-1824; 52-1825; 52-1826; 52-1827; 52-1828; 52-1829; 52-
 1830; 52-1831; 52-1908; 52-2108; 52-2150; 52-2151; 52-2152; 52-2153; 52-2154; 52-2155; 52-2156; 52-
 2457; 52-2158; 52-2159; 52-2216; 52-2222; 52-3008; 52-3016; 52-3024; 52-3032; 52-3064; 52-3088; 52-
 3280; 52-3281; 52-3283; 52-3285; 52-3286; 52-3348; 52-3418; 52-3716; 52-3724; 52-3776; 52-3980; 52-

Safety Data Sheet

Material Name: CRAYOLA® CRAYONS™

SDS ID: CRAY-024

4008; 52-4016; 52-4030; 52-4031; 52-4032; 52-4200; 52-4201; 52-4202; 52-4203; 52-4204; 52-4205; 52-4206; 52-4207; 52-4208; 52-4209; 52-4210; 52-4211; 52-4300; 52-4301; 52-4302; 52-4303; 52-4304; 52-4305; 52-4307; 52-4306; 52-4308; 52-4309; 52-4310; 52-4311; 52-4312; 52-4313; 52-4314; 52-4315; 52-4316; 52-4317; 52-4318; 52-4319; 52-4320; 52-4321; 52-4322; 52-4323; 52-4324; 52-4325; 52-4326; 52-4327; 52-4328; 52-4329; 52-4230; 52-4331; 52-4332; 52-4333; 52-4334; 52-4335; 52-4336; 52-4337; 52-4338; 52-4339; 52-4340; 52-4341; 52-4342; 52-4343; 52-4344; 52-4345; 52-4346; 52-4347; 52-4348; 52-4349; 52-4350; 52-4351; 52-4352; 52-4353; 52-4354; 52-4355; 52-4356; 52-4357; 52-4358; 52-4359; 52-4360; 52-4361; 52-4362; 52-4363; 52-4364; 52-4365; 52-4366; 52-4367; 52-4368; 52-4369; 52-4370; 52-4371; 52-4372; 52-4373; 52-4374; 52-4375; 52-4376; 52-4377; 52-4378; 52-4510; 52-4511; 52-4512; 52-4513; 52-4514; 52-4515; 52-4516; 52-4517; 52-5004; 52-5009; 52-5010; 52-5445; 52-5816; 52-5817; 52-5818; 52-6412; 52-6436; 52-6437; 52-6444; 52-6465; 52-6474; 52-6800; 52-6801; 52-6802; 52-6803; 52-6804; 52-6805; 52-6806; 52-6904; 52-6908; 52-6916; 52-6920; 52-6924; 52-6948; 52-6964; 52-7016; 52-7516; 52-8008; 52-8016; 52-8019; 52-8038; 52-8039; 52-8059; 52-8098; 52-8360; 52-8389; 52-8616; 52-8617; 52-8908; 52-9504; 52-9738; 52-9916; 52-9930; 52-MEGA; 58-8331; 74-5120; 74-5121; 74-5130; 74-6076; 74-6077; 74-7054; 74-7060; 74-7061; 74-7062; 74-7063; 74-7064; 74-7065; 74-7066; 74-7067; 74-7068; 74-7069; 74-7086; 74-7071; 74-7072; 74-7073; 74-7074; 74-7076; 74-7077; 74-7078; 74-7128; 80-8209; 80-8214; 80-8252; 80-8256; 80-8275; 80-6868; 80-6878; 80-6879; 81-1306; 81-1308; 81-1309; 81-1310; 81-1311; 81-1316; 81-1318; 81-1328; 81-1330; 81-1331; 81-1332; 81-1336; 81-1339; 81-1341; 81-1342; 81-1345; 81-1347; 81-1348; 81-1357; 81-1358; 81-1364; 81-1403; 81-1404; 81-1412; 81-1421; 81-1422; 81-6887; 81-6892; 81-8103; 81-8114; 81-8115; 81-811682-5264; 82-5296; 95-1045; 95-1046; 95-1047; 95-1048; 95-1053; 95-1054; 95-1059; 95-1060; 98-2000; 98-3100; 98-3210; 98-3220; 98-3230; 98-3240; 98-3400; 98-5194; 98-5200; 98-5201; 98-5202; 98-5203; 98-5205; 98-5208; 98-5212; 98-5216; 98-8573; 98-8601; 98-8605; 98-8609; 98-8625; 98-8634; 98-8635; 98-8636; 98-8638; 98-8647; 98-8658; 98-8661; 98-8662; 98-8663; 98-8667; 98-9510; 98-9511

Product Description

Finished product.

Product Use

Arts and Crafts

Restrictions on Use

None known.

Details of the supplier of the safety data sheet

CRAYOLA LLC

1100 Church Lane

Easton, PA 18044

Phone: 1-800-272-9652

Emergency Phone #: Health Emergency - Call local POISON CONTROL

E-mail: support@crayola.com

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria

GHS Label Elements

Symbol(s)

Signal Word

None needed according to classification criteria

Hazard Statement(s)

Safety Data Sheet

Material Name: CRAYOLA® CRAYONS™

SDS ID: CRAY-024

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
Not Available	Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards.	100

Section 4 - FIRST AID MEASURES

Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eyes

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. If eye irritation persists, get medical advice/attention.

Ingestion

Call a poison control center or doctor immediately for treatment advice.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

carbon dioxide, regular dry chemical, regular foam, Water

Safety Data Sheet

Material Name: CRAYOLA® CRAYONS™

SDS ID: CRAY-024

Unsuitable Extinguishing Media

None known.

Hazardous Combustion Products

Oxides of carbon

Advice for firefighters

Slight fire hazard.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

Special Protective Equipment and Precautions for Firefighters

Wear protective clothing and equipment suitable for the surrounding fire.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Collect spilled material in appropriate container for disposal.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling. Minimize dust generation and accumulation.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

Incompatible Materials

oxidizing materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures

There are no biological limit values for any of this product's components.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Based on available information, additional ventilation is not required.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Eye protection not required under normal conditions.

Skin Protection

Protective clothing is not required under normal conditions.

Safety Data Sheet

Material Name: CRAYOLA® CRAYONS™

SDS ID: CRAY-024

Respiratory Protection

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Glove Recommendations

Protective gloves are not required under normal conditions.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	various colors	Physical State	solid
Odor	distinct odor	Color	various colors
Odor Threshold	Not available	pH	Not available
Melting Point	43.3 °C (110 °F)	Boiling Point	Not available
Freezing point	Not available	Evaporation Rate	Not available
Boiling Point Range	Not available	Flammability (solid, gas)	Not available
Autoignition	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	(Insoluble)	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	Not available	Physical Form	solid
Molecular Weight	Not available		

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

None reported.

Incompatible Materials

oxidizing materials

Hazardous decomposition products