

Silver-Copper-Zinc Alloys

626

Material Safety Data Sheet

1. Product And Company Identification

Supplier

Lucas Milhaupt, Inc. Handy & Harman of Canada, Ltd.
5656 South
Pennsylvania Ave. 290 Carlingview Drive
Cudahy, WI 53110 Rexdale, ON M9W 5G1

Supplier Emergency Contacts & Phone Number

Lucas-Milhaupt, Inc.: 414-769-6000
Handy & Harman of Canada, Limited: 416-675-1860

Manufacturer

Lucas Milhaupt, Inc. Handy & Harman of Canada, Ltd.
5656 South
Pennsylvania Ave. 290 Carlingview Drive
Cudahy, WI 53110 Rexdale, ON M9W 5G1

Manufacturer Emergency Contacts & Phone Number

Lucas-Milhaupt, Inc.: 414-769-6000
Handy & Harman of Canada, Limited: 416-675-1860

Issue Date: 04/16/2004

Product Name: Silver-Copper-Zinc Alloys

CAS Number: Not Established

MSDS Number: 82

Product Identification Text

The information in this MSDS is applicable to products with the following product codes: Bimet 962 (21-962), Braze 051 (32-051), Braze 058 (32-058), Braze 059 (32-059), Braze 070 (32-070), Braze 090 (32-090), Braze 180 (32-180), Braze 202 (32-202), Braze 250 (32-250), Braze 300 (32-300), Braze 350 (32-350), Braze 351 (32-351), Braze 400 (32-400), Braze 401 (32-401), Braze 450 (32-450), Braze 451 (32-451), Braze 453 (32-453), Braze 501 (32-501), Braze 600 (32-600), Braze 650 (32-650), Braze 680 (32-680), Braze 681 (32-681), Braze 682 (32-682), Braze 700 (32-700), Braze 750 (32-750), Braze 751 (32-751) Braze 800 (32-800), Compo Grain10-41; Consil 902 (15-902); Lithobraze 650 (37-650), and Alloys 24-096, 24-207, 24-201, 24-209, 24-260, 24-509 and 28-580.

2. Composition/Information On Ingredients

Ingredient Name - (CAS Number) - %

Copper (7440-50-8) 5 - 92
Silver (7440-22-4) 4 - 90

Zinc (7440-66-6) 3 - 38

No Data Available...

3. Hazards Identification

Primary Routes(s) Of Entry

Ingestion; inhalation

Eye Hazards

Eye contact with these products in finely-divided forms may cause irritation, conjunctivitis, ulceration of the cornea, and/or argyria, a permanent blue-gray discoloration of the eyes, skin, mucous membranes, and respiratory tract.

Skin Hazards

Skin contact with these products, particularly in finely-divided forms, may cause irritation, argyria, discoloration, and/or contact dermatitis.

Ingestion Hazards

Ingestion of these products in finely-divided forms may cause nausea, vomiting, and gastrointestinal irritation.

Inhalation Hazards

Inhalation of the components of these products is not known to present a significant risk to health when used according to instructions and with appropriate protective measures (see Section #8). Inhalation of component elements has been reported to cause one or more of the following symptoms and effects upon excessively high or prolonged exposure:

COPPER: Acute exposure may cause respiratory tract irritation, fever, muscle ache, chills, cough, weakness, and a metallic taste. Chronic exposure may damage the liver, kidney, spleen, pancreas, and brain.

SILVER: Chronic exposure via inhalation may cause argyria.

ZINC: Acute exposure to zinc oxide may cause respiratory tract irritation and "metal fume fever", which is characterized by a metallic taste, cough, dry throat, chills, fever, tightness of chest, headache, nausea, shortness of breath, vomiting, and fatigue.

4. First Aid Measures

Eye

Flush affected areas with water for at least fifteen minutes. Seek medical assistance if necessary.

Skin

Remove contaminated clothing. Wash affected area with large quantities of water for at least five minutes. Seek medical attention if necessary. Launder or dry-clean clothing before reuse.

Ingestion

If subject is conscious, induce vomiting. If unconscious or convulsive, seek immediate medical assistance.

Inhalation

If signs and symptoms of toxicity are observed, remove subject from area, administer oxygen, and seek medical attention. Keep the subject warm and at rest. Perform artificial respiration if breathing has stopped.

Note To Physician

None of the components are acutely toxic by ingestion, nor are they absorbed through the skin. Extensive or prolonged skin contact may cause dermatitis and/or argyria.

5. Fire Fighting Measures

Flash Point: N/A F N/A C
Autoignition Point: N/A F N/A C
Flammability Class: N/A
Lower Explosive Limit: N/A
Upper Explosive Limit: N/A
Fire And Explosion Hazards

In finely-divided form, these products may ignite when exposed to flame or by reaction with incompatible materials (see Section #10). If present in a fire or explosion, they may emit fumes of the constituent metals or metal oxides.

Extinguishing Media

Use dry chemical. Do not use water.

Fire Fighting Instructions

If fighting a fire in which these products are present, wear a self-contained breathing apparatus with full facepiece operated in pressure-demand or other positive pressure mode.

6. Accidental Release Measures

If a finely-divided form of product is spilled, clean up spillage so as to minimize dispersion of dust. Wet sweeping or vacuuming using HEPA filtration are recommended.

7. Handling And Storage

Handling Precautions

No special handling precautions are required.

Storage Precautions

Do not store in proximity to incompatible materials (see Section #10).

Work/Hygienic Practices

To minimize ingestion, wash hands and face before eating, drinking, applying cosmetics, or using tobacco.

8. Exposure Controls/Personal Protection

Engineering Controls

Use appropriate ventilation (e.g., dilution, local exhaust) adequate to maintain concentrations of all components to within their applicable standards.

Eye/Face Protection

Wear eye protection adequate to prevent eye contact with finely-divided forms of product and eye injury if products are used with a flame. Plastic-frame spectacles with side shields and filter lenses (shade #3 or #4) are recommended.

Skin Protection

Wear appropriate protective gloves and clothing to prevent skin injury if these products are used with a flame. Avoid flammable fabrics.

Respiratory Protection

If an exposure level exceeds an applicable exposure standard, use a NIOSH-approved respirator having a configuration (type of facepiece, filter media, assigned protection factor, etc.) appropriate to the concentration of the contaminant(s) generated. For guidance on selection and use of respiratory protection, consult American National Standard Z88.2 (ANSI, New York, NY 10036 USA).

Ingredient(s) - Exposure Limits

Copper

ACGIH TLVs: 0.2 mg/m3 TWA (fume); 1 mg/m3 TWA (dusts and mists)
OSHA PELs: 0.1 mg/m3 TWA (fume); 1 mg/m3 TWA (dusts and mists)

Silver

ACGIH TLV: 0.1 mg/m3 TWA (metal) OSHA PEL: 0.01 mg/m3 TWA

Zinc

ACGIH TLVs: 5 mg/m3 TWA; 10 mg/m3 STEL (as ZnO fume)
OSHA PEL: 5 mg/m3 TWA (as ZnO fume)

9. Physical And Chemical Properties

Appearance

Odorless white to brass yellow metals in forms of wire, rod, strip, powder, grain, tape, clad alloys, or preformed shapes.

Chemical Type: Mixture
Physical State: Solid
Melting Point: 1235-1545 F 670-840 C
Specific Gravity: ca. 8.4-10.3
Percent Volatiles: Not Applicable (N/A)
Vapor Pressure: N/A
Vapor Density: N/A
pH Factor: N/A
Solubility: Insoluble

10. Stability And Reactivity

Stability: stable
Hazardous Polymerization: will not occur
Conditions To Avoid (Stability)

Silver and copper can form unstable acetylides if in contact with acetylene gas.

Incompatible Materials

Strong oxidizers; ammonia; azides; nitric acid; ethylene imine; chlorine trifluoride; sulfuric acid; inorganic and organic peroxides; peroxyformic acid; oxalic acid; tartaric acid; 1-bromo-2-propyne; permonosulfuric acid; bromates, chlorates, and iodates of alkali and alkali earth metals; halogens; carbon disulfide; hydrazine mononitrate; hydroxylamine; selenium; tellurium.

Hazardous Decomposition Products

Heating to elevated temperatures may liberate metal/metal oxide fumes.

11. Toxicological Information

Chronic/Carcinogenicity

The products contain no chemicals classified as potential or demonstrated carcinogens by IARC, NTP, or OSHA.

Conditions Aggravated By Overexposure

Pre-existing pulmonary diseases (e.g., bronchitis, asthma) may be aggravated by inhalation exposure, particularly as fume. Chronic exposure by inhalation and/or ingestion may aggravate pre-existing diseases of the liver, kidneys, gastrointestinal system, and nervous system.

Ingredient(s) - Toxicological Data

Copper

LD50: No data available

LC50: No data available

Silver

LD50: No data available

LC50: No data available

Zinc

LD50: No data available

LC50: No data available

12. Ecological Information

In their intended manner of use, these products should not be released into the environment, and adverse effects on ecosystems are not anticipated under recommended conditions of use, storage, and disposal.

13. Disposal Considerations

Dispose of unused or unusable product in accordance with applicable Federal, State/Provincial, and local regulations.

14. Transport Information

These products are not Hazardous Substances or Dangerous Goods per USDOT/TDG/IATA/IMO regulations.

15. Regulatory Information

SARA Hazard Classes

Acute Health Hazard; Chronic Health Hazard

Ingredient(s) - U.S. Regulatory Information

Copper

SARA Title III - Section 313 Form "R"/TRI Reportable Chemical

Silver

SARA Title III - Section 313 Form "R"/TRI Reportable Chemical

Canadian Regulatory Information

WHMIS Class(es) and Division(s): none applicable

Components on Ingredients Disclosure List:

1. Copper, elemental (CASRN 7440-50-8)
2. Silver, elemental (CASRN 7440-22-4)

16. Other Information

Revision/Preparer Information

This MSDS Supercedes A Previous MSDS Dated: 04/16/2002

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

Lucas Milhaupt, Inc. Handy & Harman of Canada, Ltd.