

6785

9733396  
9733321 A-P

# MATERIAL SAFETY DATA SHEET

7/27/2012

MANUFACTURER OR DISTRIBUTOR: **Speedball Art Products Co.**  
P.O. Box 5157  
2301 Speedball Road  
Statesville, North Carolina 28677

INFORMATION TELEPHONE NUMBER: **704-978-4166**  
EMERGENCY TELEPHONE NUMBER: **1-800-898-7224**

## SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: **FABRIC B/P INK** PRODUCT NUMBER: **FABRIC B/P**  
PRODUCT SIZES: **37, 75, 150 ML** BRAND NAME: **FABRIC B/P INK**  
PRODUCT CLASS: **DRAWING INK**

## SECTION II - POTENTIAL HEALTH EFFECTS

PERMISSIBLE EXPOSURE LEVEL: SEE SECTION III FOR COMPONENT PEL/TLVs  
PRIMARY ROUTES OF ENTRY: INHALATION, INGESTION, EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: CONTACT MAY RESULT IN REDNESS OR PAIN OF THE EYES.

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED

CARCINOGEN LISTING: NTP: **NO** IARC: **NO** OSHA: **NO**

SEE SECTION III FOR COMPONENTS AFFECTED

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

## SECTION III - HAZARDOUS INGREDIENTS

<u>Ingredient</u>	<u>CAS #</u>	<u>PEL/TLV (MG/M#)</u>	<u>Max % Weight</u>	<u>NTP</u>	<u>IARC</u>
None					

## SECTION IV - FIRST AID

FIRST AID MEASURES: NONE REQUIRED. NO ACUTE HEALTH EFFECTS EXPECTED.

## SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A AUTOIGNITION TEMPERATURE: N/A  
EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE  
EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED  
FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED  
UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

## SECTION VI - SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-

combustible, absorbent material. For waste disposal, see Section XIII

## SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

## SECTION VIII - EXPOSURE CONTROLS

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: NONE REQUIRED  
OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED  
WORK/HYGIENE PRACTICES: NONE REQUIRED  
ENGINEERING CONTROLS: NONE REQUIRED

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A	MELTING POINT: N/A
VAPOR PRESSURE: N/A	SPECIFIC GRAVITY: N/A
SPECIFIC VAPOR DENSITY (AIR=1): N/A	REACTIVITY IN WATER: NON-REACTIVE
SOLUBILITY IN WATER: N/A	

## SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: NONE  
STABILITY: STABLE CONDITIONS TO AVOID: NONE  
INCOMPATIBILITY (MATERIALS TO AVOID): NONE  
HAZARDOUS DECOMPOSITION PRODUCTS: NONE

## SECTION XI - TOXICOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: CONTACT MAY RESULT IN REDNESS OR PAIN OF THE EYES.  
The summated LD50 is 13770 mg/kg.  
This product is/is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

## SECTION XII - ECOLOGICAL INFORMATION

NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

## SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.  
WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

## SECTION XIV - TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

## SECTION XV - REGULATORY INFORMATION

CONTENTS OF THIS MSDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200  
EPA SARA TITLE III CHEMICAL LISTINGS  
NONE

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):  
NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):  
NONE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:  
ALUMINUM OXIDE  
AMMONIA  
PROPYLENE GLYCOL

SUPPLEMENTAL STATE COMPLIANCE INFORMATION:


THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN THE STATE OF CALIFORNIA UNDER THEIR SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROPOSITION 65) AS BEING KNOWN TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM:  
NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:  
ALUMINUM OXIDE  
AMMONIA

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT:  
NONE

**SECTION XVI - OTHER INFORMATION**

THIS INFORMATION SHEET IS FOR CONSUMER USE ONLY.



Woodhall Stopford, MD, MSPH  
Signed on 07/27/2012  
Durham, NC

COMPANY: Speedball Art Products Co.  
PRODUCT: FABRIC B/P  
BRAND NAME: FABRIC B/P INK

---

7/27/2012

---

Woodhall Stopford, MD, MSPH

7/27/2012

### COLOR INFORMATION

THIS MSDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS

<u>Product Color</u>	<u>Hazardous Ingredient</u>
BLACK	(NONE)
WHITE	(NONE)

### BRAND NAMES

THIS MSDS APPLIES TO THE FOLLOWING BRAND NAMES

<u>Brand Name</u>	<u>SKU</u>
FABRIC B/P INK	