

## Section 1 Chemical Product and Company Identification

Page E1 of E2



**Nasco**  
901 Janesville Ave.  
Fort Atkinson, WI 53538-0901  
Phone: 920-563-2446

**CHEMTREC 24 Hour Emergency USA**  
**Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>SULFURIC ACID, CONCENTRATE, 95-98%</b>
----------------	---

<b>Synonyms</b>	Sulfuric Acid / Hydrogen Sulfate / Battery Acid
-----------------	---

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS05 / GHS06 / GHS08**Target organs:** Respiratory system, skin, eyes, teeth.**GHS Classification:**

Corrosive to metals (Category 1)

Skin corrosion (Category 1A)

Eye damage (Category 1)

Acute toxicity, inhalation (Category 2)

Carcinogenicity (Category 1A)

**GHS Label information: Hazard statement(s):**

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H330: Fatal if inhaled.

H350: May cause cancer.

**Precautionary statement(s):**

P234: Keep only in original container.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P284: Wear respiratory protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P390: Absorb spillage to prevent material damage.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P406: Store in corrosive resistant container with a resistant inner liner.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Sulfuric acid	7664-93-9	95-98%	231-639-5

## Section 4 First Aid Measures

**INGESTION:** HARMFUL OR FATAL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** FATAL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES SEVERE SKIN BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Product is a water reactive material, DO NOT USE WATER! Use dry chemicals only for extinguishing.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water on combustibles burning in vicinity of acid but use care as water applied to the acid results in severe generation of heat and may cause boiling and splattering. Sulfuric acid will not burn, but is capable of igniting finely divided combustible materials on contact. May react violently with organic materials and water with the evolution of heat. Contact with reactive metals, e.g. aluminum, may result in the generation of flammable hydrogen gas.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Hygroscopic material. Never add water to this solution, always add acid, slowly and in small amounts to water to avoid splattering.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sulfuric acid	TWA: 0.2 mg/m <sup>3</sup> (A2)	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Clear, oily liquid.	<b>Evaporation rate ( = 1):</b> Data not available.	<b>Partition coefficient:</b> (n-octanol / water): Data not available.
<b>Odor:</b> Slightly pungent odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> Data not available.
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Upper/Lower:</b> Data not available.	<b>Decomposition temperature:</b> 340°C (644°F)
<b>pH:</b> <1.5 acidic, in solution.	<b>Vapor pressure (mm Hg):</b> Variable	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> <11°C (52°F)	<b>Vapor density (Air = 1):</b> Data not available.	<b>Molecular formula:</b> H <sub>2</sub> SO <sub>4</sub>
<b>Boiling point:</b> Approximately 275-325°C (527-617°F)	<b>Relative density (Specific gravity):</b> 1.84	<b>Molecular weight:</b> 98.01
<b>Flash point:</b> Not flammable.	<b>Solubility(ies):</b> Complete in water.	

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable  
**Hazardous polymerization:** Will not occur.  
**Conditions to avoid:** Avoid contact with water and heat. Avoid temperatures above 250°C (482°F).  
**Incompatible materials:** Alkalies, amines, anhydrides, combustibles, organics, oxidizers, powdered metals.  
**Hazardous decomposition products:** Sulfur trioxide and/or sulfur dioxide. Hydrogen gas by reaction with metals.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 2140 mg/kg ; Inhalation-rat LC50: 0.375 mg/L/4 hours  
**Skin corrosion/irritation:** Skin-rabbit - causes burns  
**Serious eye damage/irritation:** Eyes-rabbit - causes burns  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
 NTP: This product contains a chemical known to be a human carcinogen.  
 IARC classified: Group 1: Carcinogenic to humans. [Acid mists, strong inorganic]  
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
 CA Prop 65: ⚠️ WARNING! : This product can expose you a chemical, Strong inorganic acid mists containing sulfuric acid, which is known to the State of California to cause cancer.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
 Inhalation: Inhalation of this material is irritating and/or corrosive to the nose, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung function. Inhalation of high concentrations may result in permanent lung damage. Repeated inhalation may cause bronchitis, and also etching of dental enamel followed by the erosion of the enamel and dentine with loss of tooth substance.  
 Ingestion: Ingestion may cause irritation and/or burns to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration.  
 Skin: Skin contact can cause severe irritation and/or burns characterized by redness, swelling and scab formation.  
 Eyes: Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.  
**Signs and symptoms of exposure:** Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.  
**Additional information:** RTECS #: WS5600000

## Section 12 Ecological Information

**Toxicity to fish:** LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h (sulfuric acid)  
**Toxicity to daphnia and other aquatic invertebrates:** Crangon crangon (crustacea) 70-80 mg/l/48 hours  
**Toxicity to algae:** No data available  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available  
**PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1830      **Shipping name:** Sulfuric acid  
**Hazard class:** 8      **Packing group:** II      **Reportable Quantity:** 1,000 lbs (454 kg)      **Marine pollutant:** No  
**Exceptions:** Limited quantity equal to or less than 1 L      **2016 ERG Guide #** 137

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sulfuric acid	Listed	1000 lbs (454 kg)	D002	Listed	Not listed	⚠️ WARNING -Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.