

7516

9737063 B
 9737064 B
 9737065 B

FOSS[®] Manufacturing Company, LLC.

Safety Data Sheet

Section I - Identification

Red Classic Felt		<i>This material is an "Article" and is considered non-hazardous by OSHA Hazard Communication Standard 29 CFR 1910.1200</i>	
Sold as: Classicfelt™, Embossedfelt™, Friendlyfelt™, Plushfelt™, Shaggyfelt™, Premiumfelt™, Stiffenedfelt™			
Manufacturer's Name FOSS MANUFACTURING COMPANY, LLC.		Emergency Telephone Number (603) 929-6000	
Address (Number, Street, State and Zip Code) 11 Merrill Industrial Drive		Telephone Number for Information (603) 929-6000	
HAMPTON, NH 03842		Date Prepared 07/12/16	
		Preparer A.Plue	

Section II - Hazards

None per CFR 1910.1200

Section III - Components

	CAS #	OSHA PEL	ACGIH TLV	Others
Recycled Polyester (PET) Fiber	25038-59-9	NA	NA	NA
Acylic Fiber	NA	NA	NA	NA
Miscellaneous Pigments and Additives	NA	NA	NA	NA

Section IV - First Aid

Flush eyes with water for at least 10 minutes. Contact with molten material should be treated as a thermal burn. Seek medical attention for all burns, particularly if in the facial area.

Section V - Fire Fighting Measures

Extinguishing Media

Water fog, foam dry (ABC)

Special Fire Fighting Procedures

Use full bunker gear including NIOSH approved breathing apparatus

Unusual Fire and/or Explosion Hazards

Treat as a solid that burns generally with low smoke density

Section VI - Accidental Release Measures

Steps to Be Taken in Case Material is Released or Spilled

Shovel, sweep or vacuum. Avoid generating dust clouds.

Waste Disposal Method

Place in an appropriate container and dispose of in compliance with all federal, state and local ordinances.

Section VII - Precautions for Safe Handling and Storage

Precautions to Be Taken in Handling and Storing

Treat as a solid that can burn

Other Precautions

Store away from oxidizing agents

Section VIII - Personal Protection

Health Hazards (*Acute and Chronic*)

None known

Product fines, dust may cause mechanical irritation

Respiratory Protection (*Specify Type*)

Not required, but appropriate dust mask can be used if product dust is present

Ventilation	Local Exhaust	Special	N/A
	Mechanical (<i>General</i>)	Recommended	Other

Protective Gloves

Not required

Eye Protection

ANSI Z87 safety glasses recommended

Other Protective Clothing or Equipment

Not required

Work/Hygienic Practices

Use good industrial hygiene practices and procedures

Section IX - Physical and Chemical Properties

Boiling Point	Not applicable	Specific Gravity (H ₂ O = 1)	Not applicable
Vapor Pressure (mm Hg)	Not applicable	Melting Point	258°C
Vapor Density (AIR = 1)	Not applicable	Evaporation Rate (Butyl Acetate = 1)	Not applicable
Solubility in Water	Insoluble		
Appearance and Odor	Solid . No distinct Odor		
Flash Point (Method Used)	Not applicable	Flammable Limits	LEL N/A UEL N/A

Section X - Stability and Reactivity

Unstable		Conditions to Avoid
Stable	XXX	None known

Incompatibility (*Materials to Avoid*)

Strong oxidizing agents

Hazardous Decomposition or Byproducts

CO, CO₂, and small amounts of aliphatic and aromatic hydrocarbons

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	XXX	None known

Section XI - Toxicological Information

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	N/A	N/A	N/A

Section XII - Ecological Information

No Data available

Section XIII - Disposal

Material as supplied is non-hazardous . Material may be recyclable in certain areas. Comply with local , state and federal regulations..

Section XIV - Transport

Not Regulated

Section XV - Regulatory Information

Not Regulated

Complies with the requirements of California Proposition 65 , REACH and ROHS

Section XVI - Other Information
