

8209

9732690  
9732691

9734352 A.B.N.



Safety Data Sheet:  
**Material Name: Elmer's Painter's  
Solid Colors**  
**SDS ID: SDS-57**  
Issue Date: 2016-06-02  
Revision: 1.5

**Other Sections**

01020304050607080910111213141516

V# 028660

**Section 1 - PRODUCT AND COMPANY IDENTIFICATION**

**Material Name**

Elmer's Painter's Solid Colors

**Synonyms**

7326, 7327, 7332, 7333, 7334, 7335, 7336, 7337, 7339, 7341, 7343, 7344, 7345, 7347, 7349, 7368, 7369, 7370, 7371, 7372, 7373, 7374, 7382, 7383, 7384, 7385, 7387, 7390, 7391, 7394, 7395, 7396, 7397, 7398, 7399, 7400, 7401, 7402, 7403, 7404, 7405, 7413, 7414, 7415, 7416, 7417, 7418, 7419, 7421, 7426, 7427, 7429, 7431, 7433, 7436, 7437, 7518, 7519, 7520, 7522, 7527, 7528, 7567, 7694, 7695, 7698, 7698W, 7699, 7700, 7701, 7705, 7720, 7721, 7724, 7726, J7343Q, J7345Q, J7389Q, J7522Q, JA7336, JA7339, JA7347, JA7393, JA7583, M7327, M7580, M7583, W7325, W7365, W7367, W7380, W7513CLS, W7523, W7524, W7571, W7571Q, WA7326, WA7327, WA7332, WA7333, WA7337, WA7341, WA7452, WA7518, WA7519, WA7520, WA7521, WA7567

**Product Use**

paint related products

**Details of the supplier of the safety data sheet**

Elmer's Products, Inc  
460 Polaris Parkway, Suite 500  
Westerville, OH 43082  
USA  
Phone: 1-888-435-6377  
Fax: 1-800-741-6046  
Email: comments@elmers.com

**Emergency Phone Number:**

Poison Control Center  
1-888-516-2502

For additional product information, access our website at [www.elmers.com](http://www.elmers.com). To place an order, call 1-800-848-9400.

**Section 2 - HAZARDS IDENTIFICATION**

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

Specific Target Organ Toxicity - Single Exposure - Category 3 ( respiratory tract , central nervous system )

**GHS Label Elements**

**Symbol(s)**



**Signal Word**

Warning

**Hazard Statement(s)**

May cause respiratory irritation. May cause drowsiness or dizziness.

**Precautionary Statement(s)**

**Prevention**

Use only outdoors or in a well-ventilated area.  
Avoid breathing dust/fume/gas/mist/vapours/spray.

**Response**

IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.  
Call a POISON CENTER or doctor if you feel unwell.

**Storage**

Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

<b>Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS</b>		
---	--	--

CAS	Component Name	Percent
34590-94-8	Dipropylene glycol monomethyl ether	<=2.3
7732-18-5	Water	>=97.7

<b>Section 4 - FIRST AID MEASURES</b>
---------------------------------------

**Description of Necessary Measures**

Call a POISON CENTER or doctor/physician if you feel unwell.

**Inhalation**

IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

**Skin**

If on skin, wash immediately with plenty of soap and water. Get medical attention if irritation develops.

**Eyes**

Remove contact lenses, if present and easy to do. IMMEDIATELY wash with large amounts of warm water, occasionally lifting upper and lower lids, until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

**Ingestion**

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious or convulsive person. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

**Most Important Symptoms/Effects****Acute**

May cause respiratory irritation. May cause drowsiness or dizziness.

**Delayed**

no information on significant adverse effects.

**Note to Physicians**

For inhalation, consider oxygen.

<b>Section 5 - FIRE FIGHTING MEASURES</b>
---

**Extinguishing Media****Suitable Extinguishing Media**

Use carbon dioxide, regular dry chemical, regular foam or water.

**Unsuitable Extinguishing Media**

None known.

**Special Hazards Arising from the Chemical**

Slight fire hazard.

**Hazardous Combustion Products**

Oxides of carbon, oxides of nitrogen

**Advice for firefighters**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

**Fire Fighting Measures**

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

### Section 6 - ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

#### Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Small spills: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

#### Environmental Precautions

Avoid release to the environment.

### Section 7 - HANDLING AND STORAGE

#### Precautions for Safe Handling

Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray.

#### Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Store in accordance with all current regulations and standards. Protect from freezing. Keep separated from incompatible substances.

#### Incompatible Materials

oxidizing materials

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Component Exposure Limits

Dipropylene glycol monomethyl ether	34590-94-8
ACGIH:	100 ppm TWA
	150 ppm STEL
	Skin - potential significant contribution to overall exposure by the cutaneous route
NIOSH:	100 ppm TWA ; 600 mg/m <sup>3</sup> TWA
	150 ppm STEL ; 900 mg/m <sup>3</sup> STEL
	Potential for dermal absorption
	600 ppm IDLH
Europe:	50 ppm TWA ; 308 mg/m <sup>3</sup> TWA
	Possibility of significant uptake through the skin
OSHA (US):	100 ppm TWA ; 600 mg/m <sup>3</sup> TWA
	prevent or reduce skin absorption
Mexico:	100 ppm TWA LMPE-PPT ; 60 mg/m <sup>3</sup> TWA LMPE-PPT
	150 ppm STEL [LMPE-CT ] ; 900 mg/m <sup>3</sup> STEL [LMPE-CT ]
	Skin - potential for cutaneous absorption

**EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures**

There are no biological limit values for any of this product's components.

**ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)**

There are no biological limit values for any of this product's components.

**Engineering Controls**

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

**Individual Protection Measures, such as Personal Protective Equipment****Eye/face protection**

Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**Skin Protection**

Wear appropriate work clothing.

**Respiratory Protection**

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

**Glove Recommendations**

Wear appropriate gloves.

**Protective Materials**

protective skin cream.

<b>Section 9 - PHYSICAL AND CHEMICAL PROPERTIES</b>			
---	--	--	--

<b>Appearance</b>	colored liquid	<b>Physical State</b>	liquid
<b>Odor</b>	Slight ,ammonia odor	<b>Color</b>	Multiple
<b>Odor Threshold</b>	Not available	<b>pH</b>	8 - 9
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	100 °C
<b>Freezing point</b>	0 °C	<b>Evaporation Rate</b>	<1 (butyl acetate=1 )
<b>Boiling Point Range</b>	100 °C	<b>Flammability (solid, gas)</b>	Not available
<b>Autoignition</b>	Not available	<b>Flash Point</b>	Not available
<b>Lower Explosive Limit</b>	Not available	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	Not available	<b>Vapor Pressure</b>	Not available
<b>Vapor Density (air=1)</b>	>1	<b>Specific Gravity (water=1)</b>	0.9 - 1
<b>Water Solubility</b>	Dilutable with water	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	<35 centistokes	<b>Solubility (Other)</b>	Dilutable
<b>Density</b>	8.85 - 11.33 lb/gal	<b>Physical Form</b>	liquid
<b>Molecular Weight</b>	Not available		

<b>Section 10 - STABILITY AND REACTIVITY</b>			
--	--	--	--

**Reactivity**

No hazard expected.

**Chemical Stability**

Stable at normal temperatures and pressure.

**Possibility of Hazardous Reactions**

Will not polymerize.

**Conditions to Avoid**

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

**Incompatible Materials**

oxidizing materials

**Hazardous decomposition products**

**Thermal decomposition products**

oxides of carbon, oxides of nitrogen

<b>Section 11 - TOXICOLOGICAL INFORMATION</b>
---

**Information on Likely Routes of Exposure**

**Inhalation**

May cause respiratory irritation. May cause drowsiness or dizziness.

**Skin Contact**

No information on significant adverse effects.

**Eye Contact**

No information on significant adverse effects.

**Ingestion**

No information on significant adverse effects.

**Acute and Chronic Toxicity**

**Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and the following selected endpoints are published:

**Dipropylene glycol monomethyl ether (34590-94-8)**

Oral LD50 Rat 5400 µL/kg

Dermal LD50 Rabbit 9500 mg/kg

**Water (7732-18-5)**

Oral LD50 Rat > 90 mL/kg

**Immediate Effects**

May cause respiratory irritation. May cause drowsiness or dizziness.

**Delayed Effects**

No information on significant adverse effects.

**Irritation/Corrosivity Data**

May cause respiratory irritation.

**Respiratory Sensitization**

No information available for the product.

**Dermal Sensitization**

No information available for the product.

**Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

**Germ Cell Mutagenicity**

No information available for the product.

**Tumorigenic Data**

No data available

**Reproductive Toxicity**

No information available for the product.

**Specific Target Organ Toxicity - Single Exposure**

respiratory tract, central nervous system

**Specific Target Organ Toxicity - Repeated Exposure**

No target organs identified

**Aspiration hazard**

No information on significant adverse effects.

**Medical Conditions Aggravated by Exposure**

No data available.

<b>Section 12 - ECOLOGICAL INFORMATION</b>
--

**Component Analysis - Aquatic Toxicity**

<b>Dipropylene glycol monomethyl ether</b>	<b>34590-94-8</b>
--	-------------------

Fish:	LC50 96 h Pimephales promelas >10000 mg/L [static ]
Invertebrate:	LC50 48 h Daphnia magna 1919 mg/L IUCLID

**Section 13 - DISPOSAL CONSIDERATIONS**

**Disposal Methods**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Section 14 - TRANSPORT INFORMATION**

US DOT Information:  
UN/NA #: Not Regulated

IATA Information:  
UN#: Not Regulated

TDG Information:  
UN#: Not Regulated

**Section 15 - REGULATORY INFORMATION**

**U.S. Federal Regulations**

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

<b>Dipropylene glycol monomethyl ether</b>	<b>34590-94-8</b>
SARA 313:	1 % de minimis concentration (applies to R-(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> -OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate, Chemical Category N230 ) (related to Glycol ethers)

**SARA Section 311/312 (40 CFR 370 Subparts B and C)**

**Acute Health: Yes Chronic Health: No Fire: No Pressure: No Reactivity: No**

**U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
<b>Dipropylene glycol monomethyl ether</b>	<b>34590-94-8</b>	Yes	Yes	Yes	Yes	Yes
<b>Water</b>	<b>7732-18-5</b>	No	No	No	No	Yes

**Not listed under California Proposition 65**

**Canadian WHMIS Ingredient Disclosure List (IDL)**

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL.

<b>Dipropylene glycol monomethyl ether</b>	<b>34590-94-8</b>
	1 %

**Component Analysis - Inventory**

**Dipropylene glycol monomethyl ether (34590-94-8)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
----	----	----	----	----	-----------	-----------	----------------	-----------	----	----	----	----

Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes	Yes
-----	-----	-----	-----	-----	-----	----	-----	----	-----	-----	-----	-----

**Water (7732-18-5)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes	Yes

**Section 16 - OTHER INFORMATION****NFPA Ratings**

Health: 2 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

**Summary of Changes**

New SDS: 12/12/2014

**Key / Legend**

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; JP - Japan; Kow - Octanol/water partition coefficient; KECI - Korea Existing Chemicals Inventory; KECL - Korea Existing Chemicals List; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

**Other Information****Disclaimer:**

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.