



8456 9732823 A thru
CHARLES LEONARD, INC. 9732823M

Office & School Supplies • Arts & Crafts • Stationery Products
 145 Kennedy Dr., Hauppauge, NY 11788 • www.charlesleonard.com



9732824 A thru
 9732824 M
 V# 617694

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

DESCRIPTION: GLITTER POWDER
 PRODUCT TYPE: GLITTER POWDER
 MSDS DATE: 2017-01-10
 VALID TIME: ONE YEAR
 APPLICATION: CHARLES LEONARD, INC.
 PRODUCT NUMBERS COVERED: 41100,41110,41115,41120,41125,41130,41145,41160,41170,
 41175,41180,41400,41410,41415,41420,41425,41430,41445,41460,41465,41470,41475,41480,
 41700,41710,41715,41720,41725,41730,41745,41760,41765,41770,41775,41780,41006,41012,
 41625

MANUFACTURER /SUPPLIER INFORMATION

MSDS PREPARED BY

CHARLES LEONARD, INC.
 145 KENNEDY DRIVE
 HAUPPAUGE, NY 11788
 FOR ADDITIONAL HEALTHY, SAFETY OR REGULATORY INTERNATIONAL
 CALL: 631-273-6700

2. COMPOSITION, INFORMATION ON INGREDIENTS

NAME	CAS NO	COMPONENT
POLYETHYLENE TEREPHTHALATE	7732-18-5	99.6%
RESIN (PIGMENT ACID ROSE RED B)	3520-42-1	0.2%
WEAK ACID RED A	17372-87-1	0.2%

3. HAZARDS IDENTIFICATION

THIS PRODUCT CAN USE IN REGIONS FROM -5 C—40°C AND THE FLAMMING POINT IS 100°C

4. FIRST AID MEASURES

EYES: IF SPLASHED INTO THE EYES, PLEASE CLEAN IT WITH WARM WATER. SKINS: WASH WITH PLENTY OF WARM WATER.
 INGESTION: IF SWALLOWED WILL FEEL VOMITING IMMEDIATELY. PLEASE CALL PHYSICIAN.

5. FIRE FIGHTING MEASURES

AUTOIGNITION TEMPERATURE	NOT AVAILABLE
UPPER/LOWER FLAMMABLE LIMITS	NOT APPLICABLE
UP/LOWER EXPLOSIVE LIMITS A BY VOL	NOT APPLICABLE

Toll Free: (800) 999-7202 . Tel: (631) 273-6700 . Fax (631) 273-6777. Email:
 sales@charlesleonard.com
 Distribution Centers: Hauppauge, NY 11788 . San Jose CA 95112



FLASH POINT: NOT APPLICABLE

WILL NOT BURN UNLESS WATER HAS EVAPORATED. DRIED MATERIAL MAY BURN IN CASE OF FIRE. WATER SHOULD BE USED TO KEEP FIRE-EXPOSED CONTAINERS COOL.

6. ACCIDENTAL RELEASE MEASURES

SOAK UP WITH ABSORBENT MATERIAL AND REMOVE TO A CHEMICAL DISPOSAL AREA. PREVENT ENTRY INTO NATURAL BODIES OF WATER.

7. STORAGE

KEEP FROM FREEZING STORE, IN COOL DRY PLACE.
KEEP CONTAINERS TIGHTLY CLOSED.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

EXPOSURE: NEVER EXPOSURE IN THE AIR
VENTILATION: HANDLES IN THE PRESENCE OF ADEQUATE VENTILATION. RESPIRATORY PROTECTION: NOT NECESSARY
EYE PROTECTION: NOT NECESSARY
SKIN PROTECTION: NOT NECESSARY
RECOMMENDED DECONTAMINATION FACILITIES: EYES BY WASHING FACILITIES IN CASE OF FIRE WATER SHOULD BE USED TO KEEP FIRE-EXPOSED CONTAINERS COOL.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: SOLID
COLOR: COLORLESS
ODOR: ODORLESS
VISCOSITY AT 25 C: 1400-1560 MPa.S.
STORED UP STABILITY (AT 12 MONTHS) PASSED
PH: 8-10
WATER SOLUBILITY: 100% IN WATER
(SLOWLY) BOILING POINT: 100 C
MELTING POINT: 64-65 C
PERCENT VOLATILE (WATER): 53%
SPECIFIC GRAVITY: 1.05-1.15

10. STABILITY AND REACTIVITY

STABILITY LIMITED; STORE-UP STABILITY AT ABOUT 0 C-40 C.
DANGEROUS POLYMERIZATION NOT OCCUR.



11. TOXICOLOGICAL INFORMATION

EFFECTS OR EXPOSURE.

INHALATION: NO TOXICITY, BUT KEEP STIMULATING ODOR.

EYES: NOT HARMFUL.

ACUTE TOXICITY DATA: NONE.

12. ECOLOGICAL INFORMATION

NONE ECOLOGICAL INFLUENCE.

13. DISPOSAL CONSIDERATIONS

BE COVER THE LIQUID, ABSORB RESIDUE AND DISPOSE ACCORDING TO LOCAL, STATE/PROVINCIAL, AND FEDERAL REQUIREMENTS.

14. TRANSPORT INFORMATION

COMMONLY PRODUCTS

14.1 U.S. DEPARTMENT OF TRANSPORTATION (DOT)

THE DATA PROVIDED IN THIS SECTION IS FOR INTERNATIONAL ONLY. AND MAY NOT BE SPECIFIC TO YOUR PACKAGE SIZE. YOU WILL NEED TO APPLY THE APPROPRIATE REGULATIONS TO PROPERLY CLASSIFY YOUR SHIPMENT FOR TRANSPORTATION.

14.2 CANADIAN TRANSPORTATION OF DANGEROUS GOODS (TDG)

NON-REGULATED

14.3 TRANSPORT BY SEA (IMDG)

PROPER SHIPPING NAME: -

UN - NO. : -

LABEL: -

PACKING GROUP: -

EMS - NO. : -

MFAG: -

MARINE POLLUTANT: -

REMARK: NOT A HAZARDOUS MATERIAL WITH RESPECT TO THESE TRANSPORTATION REGULATIONS.

15 REGULATORY INFORMATION (SELECTED REGULATIONS)

15.1 U.S. FEDERAL REGULATIONS

THE PREPARATION IS NOT CLASSIFIED BY THE EUROPEAN REGULATION ABOUT THE HAZARDOUS SUBSTANCES.